

Dr. Warns: (6 Do's & Don'ts) Smallpox, M-POX, RSV & Bird Flu

deeproootsathome.com/dr-warns-dos-donts-smallpox-monkeypox-rsv-bird-flu/

Jacqueline



I think you may already know this scientist, [Dr. Geert Vanden Bossche](#), PhD.

He is one of a group of brave doctors that has been warning against mass vaccination, and his predictions have been pretty accurate to date. The Dr., a virology and vaccinology expert who has worked for the Bill and Melinda Gates Foundation, GAVI, and multiple vaccine developers, writes:

Dear all,

For the past two weeks I have been working on a [document](#) summarizing my conclusions on the immuno-epidemiological consequences of the mass vaccination experiment. The result of this is even more frightening than I had predicted. I've, therefore, added a 'tsunami warning' (below) .

[Dr. Vanden Bossche's warning is worth your time if you want to be up on what is ahead.]

In the first 30 seconds, he begs us to listen! At **9:30** he is very urgent and specific about **why**.

In a nutshell, here is what I am 100% certain of:

The current SARS-CoV-2 pandemic is still expanding... and is thus enhancing the susceptibility of vaccinees to infection (due to infection-enhancing antibodies) **while diminishing the susceptibility of the unvaccinated** (due to infection-mediated training of innate cell-mediated immunity).

- In the *pre*-Omicron era, we saw more infectious variants becoming dominant; however, thanks to the neutralizing antibodies, vaccinees **were** still protected against disease. Now, with the advent of Omicron and its growing resistance to neutralizing antibodies, vaccinees became **more susceptible to infection**; what we are now seeing is *more virulent variants* becoming dominant (Omicron subvariants BA.4 and BA.5). I've no doubt **vaccinees will now rapidly become more susceptible to virulence**.
- **Due to repetitive activation of the immune system in C-19 vaccinees, several infectious diseases can now be SPREAD ASYMPTOMATICALLY by vaccinees...** This is now basically igniting the **global spread of some acute, self-limiting viral diseases (e.g. 'seasonal flu, RSV, monkeypox, pandemic [avian H5N1] flu)**. In addition, depletion of protective CD8 T cells due to repetitive cycles of re-infection has also led to an **increased recurrence/ reactivation rate of chronic infections** (e.g., herpetic diseases (shingles), Epstein-Barr Virus, Cytomegalovirus, HIV, tuberculosis..) and **relapse or metastasis of certain cancers in vaccinees**. ([source](#))

*****For the FULL PROTOCOL (including NAC)** to protect from transmission from the "V" and to help those who took the "V", [go here](#).

Dr. Vanden Bossche's 6 Tsunami Warnings:

1. If you're C-19 vaccinated: Make sure you've access to antiviral therapeutics and that you've established a contact with an MD you can trust.

Dr. Mercola: Nebulized Peroxide, the Single Most Effective Early Strategy

2. If you're *not* C-19 vaccinated: You should under no condition get the seasonal Flu shot. It will dramatically increase the risk of having Antibody Dependant Enhancemant (ADE) (*as in a cytokine storm*) in the event you get exposed to avian flu.

3. Under no condition should you get a non-replicating Smallpox vaccine. [1] Since surface proteins of smallpox are different from those decorating monkeypox, and as the non-replicating vaccine primarily induces antibodies, you could expose yourself to a real risk of ADE. (In this scenario, the antibodies that the vaccine generated *actually help the virus infect greater numbers of cells* than it would have on its own.)

Preparing for Smallpox: Natural Remedies, Our Best Strategy

4. However, C-19 unvaccinated people don't need a smallpox jab at all regardless of whether they got the smallpox vaccine in the past. Training of our innate immune system against Coronavirus during the C-19 pandemic will, not only provide strong innate immune protection against influenza virus and POXviruses, but also against other glycosylated viruses causing acute, self-limiting infection (e.g., RSV, other common cold CoV). I can explain this, but that would take somewhat longer. **Upon exposure to Smallpox or Avian Flu, a C-19 UNvaccinated person who is in good health and experienced mild or**

moderate C-19 symptoms as a result of previous natural infection ('thanks' to the C-19 pandemic) may still get some mild illness but that's it! This will just induce additional antibodies to fully protect you next time around... There is even a high likelihood that there won't be a 'vaccine take' when you become vaccinated with live attenuated smallpox as your trained NK cells may kick out the vaccinal virus right away.

5. Live attenuated smallpox vaccine will NOT work in C-19 vaccinees because host cells that are infected with vaccinal virus will be readily recognized and killed by cytotoxic CD8 T cells that are continuously activated due to the enhanced susceptibility of vaccinees to re-infection.

Preparing for Smallpox: Natural Remedies, Our Best Strategy.

6. C-19 vaccination of children must STOP immediately. Not only will the C-19 vaccines fully prevent innate antibodies from neutralizing the virus, but they will also **irreversibly prevent the innate antibodies from educating the cell-based innate immune system** (e.g., NK cells). Instead, the vaccinal antibodies will **enhance** viral infectiousness and enable the virus to blow straight through the innate immune defense, thereby causing **severe C-19 disease**. It will also prevent the child from educating its innate immune system (a corner stone of natural immunity!) to recognize several other pathogens while discriminating those from self-antigens. This could lead to severe disease... as well as to severe immune pathology! It will also **no longer be possible to vaccinate children with live attenuated CHILDHOOD vaccines once they've gotten the Covid-19 shot** for these vaccines could now cause severe disease. **So, the C-19 vaccine could be a death sentence for a young child!**


My heart goes out to the vaccinated people. The only way to bypass the malicious C-19 priming is to properly educate the vaccinee's innate immune effector cells in the absence of replicating virus. It will be **critical to treat them at the earliest onset of symptoms**. Treatment with antivirals shortly after infection could possibly train their innate immune system without boosting their infection-enhancing antibodies [2].

Learn What Ivermectin Will Do FOR the Vaccinated!

The technical article by Dr. Geert can be found on TrialSite News


*****For the FULL PROTOCOL (including NAC)** to protect from transmission from the "V" and to help those who took the "V", **go here**.

See Dr. Vanden Bossche's credentials here.



Deep Roots At Home now has a PODCAST! We just recorded 3 new podcasts on homeopathy. We are covering everything from vaccines, parenting topics, alternative medicine, and I just gave my **testimony of abortion and assisting in abortions.** Head over today and like, share and download a few episodes! <https://buff.ly/3KmTZZd>

I am only on FB now by the grace of God... If you want to stay connected, [here is one way...](#)



You can also find me on [Instagram](#), [Truth Social](#), [MeWe](#) and [Telegram](#).



VITAL VACCINE INFORMATION

For Moms & Dads To Make An Informed Choice



Get your free copy of the Vital Vaccine Info E-Book

Jacque's Update: Facebook and social media platforms are cracking down on Conservative/holistic health content. Many of you have complained that you never see our content in your news feeds on social media. **There's only one way to fight back** — and that's by joining my FREE newsletter. **[Click here.](#)**